




**Fig. 4**



**Fig. 5**



**Fig. 6**



**Fig. 7**

"FIG. 7" IS A PERSPECTIVE VIEW





Fig. 8



**Fig. 9**

|           |           |          |
|-----------|-----------|----------|
| APPROVED  | O.G. FIG. |          |
| BY        | CLASS     | SUBCLASS |
| DRAFTSMAN |           |          |

FIG. 10




Fig. 10

|           |           |          |
|-----------|-----------|----------|
| APPROVED  | O.G. FIG. |          |
| BY        | CLASS     | SUBCLASS |
| DRAFTSMAN |           |          |

FIG. 11




Fig. 11





|           |           |          |
|-----------|-----------|----------|
| APPROVED  | O.G. FIG. |          |
| BY        | CLASS     | SUBCLASS |
| DRAFTSMAN |           |          |

TOP SECRET 8462860

Channel 1 Relative Errors (%) of Slope Parameter in the Linear Curve Fit of Myoglobin  
Assay Data




Fig. 14

|           |           |          |
|-----------|-----------|----------|
| APPROVED  | O.G. FIG. |          |
| BY        | CLASS     | SUBCLASS |
| DRAFTSMAN |           |          |

FOUCHO" 84462860

Channel 1 Myoglobin Assay Standard Curve (Using Linear Regression) at Various Assay Times







Fig. 15

|           |           |          |
|-----------|-----------|----------|
| APPROVED  | O.G. FIG. |          |
| BY        | CLASS     | SUBCLASS |
| DRAFTSMAN |           |          |






**Fig. 16**

100270 3762860



|           |           |          |
|-----------|-----------|----------|
| APPROVED  | O.G. FIG. |          |
| BY        | CLASS     | SUBCLASS |
| DRAFTSMAN |           |          |




**Fig. 18**

|           |           |          |
|-----------|-----------|----------|
| APPROVED  | O.G. FIG. |          |
| BY        | CLASS     | SUBCLASS |
| DRAFTSMAN |           |          |






**CKMB 5min. Standard  
Curve**



**Fig. 19**

100210" 34462800

|           |           |          |
|-----------|-----------|----------|
| APPROVED  | O.G. FIG. |          |
| BY        | CLASS     | SUBCLASS |
| DRAFTSMAN |           |          |



**Fig. 20**

FOUO "B" 6462660

